




**Linna.**



60 mm x 110 mm x 22 mm NTN NF212  
roulements à rouleaux cylindriques

Bearing No. NF212

Size	60x97.5x22 mm
Bore Diameter	60 mm
Outer Diameter	97,5 mm
Width	22 mm
d	60 mm
D	110 mm
Ew	97,5 mm
B	22 mm
C	22 mm
r min.	1,5 mm
r1 min.	1,5 mm
J	78,4 mm
Weight	0,818 Kg
Basic dynamic load rating (C)	68,5 kN
Basic static load rating (C0)	75 kN
(Grease) Lubrication Speed	6 400 r/min
E	88.5 mm
F	66.5 mm
d1	70.8 mm
rs min	1.5 mm
r1s min	1.1 mm
Radial clearance class	CN
Mass (without HJ ring)	0.65 kg
Dynamic load, C	58 kN
Static load, C0	62.5 kN

NF212 Bearing 2D drawings and 3D CAD models



## Linna.

Fatigue limit load, Cu	7.6 kN
Nlim (oil)	8,200 rpm
Nlim (grease)	6,900 rpm
Min operating temperature, Tmin	-40 ° C
Max operating temperature, Tmax	120 ° C
da min	63 mm
Da max	92 mm
Db min	90 mm
ra max	1.5 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.837
EAN	4547359114959
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Outer Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	2 Rib Inner Ring   1 Rib Outer Ring   Cage on Inner Ring OD



## Linna.

Long Description	60MM Bore; Straight Bore Profile; 110MM Outside Diameter; 22MM Width; Steel Cage Material; RBEC 1   ISO P0; Single Row; Outer Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	NF212
Weight / LBS	1.85
Outside Diameter	4.331 Inch   110 Millimeter
Width	0.866 Inch   22 Millimeter
Bore	2.362 Inch   60 Millimeter